

RISK ASSESSMENT

Ministry: Avenue Church Fun Day
Location: School playground (if dry) - school hall (if wet)

Severity x Likelihood	Minor Injury 1	Major Injury 2	Serious Injury 3
Unlikely 1	LOW 1	LOW 2	MEDIUM 3
Likely 2	LOW 2	MEDIUM 4	HIGH 6
Very Likely 3	MEDIUM 3	HIGH 6	HIGH 9

Nº	What are the Hazards?	Who might be harmed <u>and</u> how?	What are the existing control measures?	Risk (S x L = R)	What further action is necessary to reduce the risk?
1	Inflatables	Children - friction burn	Adult supervision at all times	1x2=2=LOW	
2	Inflatables	All - if inflatables collapse	Supervision at all times - tether and weights to secure inflatables	2x1=2=LOW	Clear area if/when deflating inflatables
3	Cables for PA equipment and electric cable for inflatables	All - trip hazard	Secure cables on the ground; direct people away from cables using cones	2x1=2=LOW	
4	Other outside games - beat the goalie, coconut shy	Children - could skid on ground, hit by football or coconut	Adult supervision at all times	1x2=2=LOW	
5	Hook a duck - using small paddling pool	Small child - could fall into pool	Adult supervision at all times - water only ever a couple of inches deep	1x1=1=LOW	
6	Slippery floor - if we have to move inside the main hall	All - trip/slip/fall	Use yellow signs to warn public if floor is slippery; mop up spills as soon as identified	1x2=2=LOW	

Name of Assessor: Richard Brewster	Signature: R Brewster	Date: 27-Jun-17
I accept that this is a suitable and sufficient assessment of the hazards and risks within this activity and that the remedial actions will be implemented as detailed below.		
Name of Elder: Richard Brewster	Signature: R Brewster	Date: 27-Jun-17